

Appln. No.: 10/021,426  
 Amendment Dated July 11, 2005  
 Reply to Office Action of April 11, 2005

MATP-607US

**Amendments to the Claims:** This listing of claims will replace all prior versions, and listings, of claims in the application

## Listing of Claims:

1. (Currently Amended) An integrated receiver/decoder (IRD) set top box comprising:

a television receiver that receives and demodulates television signals;

video processing circuitry for processing the demodulated television signals for display on a display device and

Aa telecommunications unit that records and presents audio messages which include dual-tone multi-frequency (DTMF) tones, including comprising:

an answering machine module that receives the audio messages;

a DTMF tone decoder which converts the DTMF tones to a text representation of the DTMF tones matching respective individual keys on a telephone keypad;

a storage device; and

a processor that stores combined-messages, which include the received audio messages and the text representation of the DTMF tones into the storage device and provides the stored text representation of the DTMF tones to the video processing circuitry for display on the display device.

2. (Currently Amended) A-An integrated receiver/decoder (IRD) set top box telecommunications unit according to claim 1, further including text-to-speech conversion means which converts the text to speech signals, wherein the processor stores the speech signals with the respective audio messages, corresponding to the text, in the storage device.

3. (Currently Amended) A-An integrated receiver/decoder (IRD) set top box telecommunications unit according to claim 2, wherein the processor is configured to

Appln. No.: 10/021,426  
Amendment Dated July 11, 2005  
Reply to Office Action of April 11, 2005

MATP-607US

store the speech signals in place of the DTMF tones in the respective audio messages in the storage device.

4. (Currently Amended) ~~A-An integrated receiver/decoder (IRD) set top box telecommunications unit~~ according to claim 1, wherein the DTMF tones are stored with the audio messages in the storage device and the telecommunications unit further includes:

a user interface, coupled to the processor for providing user commands to the processor; and

an interface to a public switched telephone network (PSTN); wherein the processor is responsive to a command provided via the user interface to retrieve the DTMF tones from the storage device and to provide the DTMF tones to the PSTN interface to initiate a telephone call.

5. (Currently Amended) ~~A-An integrated receiver/decoder (IRD) set top box telecommunications unit~~ according to claim 1, wherein the DTMF tones are stored with the audio messages in the storage device and the telecommunications unit further includes:

a user interface, coupled to the processor for providing user commands to the processor;

an interface to a public switched telephone network (PSTN); and

a DTMF tone generator configured to translate text numbers into DTMF tones and to provide the translated DTMF tones to the PSTN interface to initiate a telephone call;

wherein the processor is responsive to a command provided via the user interface to retrieve the text corresponding to the DTMF tones from the storage device and to provide the retrieved text to the DTMF tone generator.

6. (Currently Amended) ~~A-An integrated receiver/decoder (IRD) set top box telecommunications unit~~ according to claim 1, further including a display output port and an audio output port, whereby the stored audio messages are provided to the audio output port and the respective stored text is provided to the display output port for concurrent presentation to a user.

Appln. No.: 10/021,426  
Amendment Dated July 11, 2005  
Reply to Office Action of April 11, 2005

MATP-607US

7. (Currently Amended) An integrated receiver/decoder (IRD) set-top box comprising,

a television receiver that receives and demodulates television signals;

video processing circuitry;

audio processing circuitry; and

a telecommunications unit, including:

an answering machine module that receives audio messages;

a DTMF tone decoder which converts DTMF tones in the received audio messages to a text representation of the DTMF tones;

a storage device; and

a processor which stores ~~combined~~ messages, including the received audio messages and the text representation of the DTMF tones into the storage device, replays the stored messages using the audio processing circuitry and displays the text using the video processing circuitry.

8. (Original) An IRD set-top box according to claim 7, wherein the telecommunications unit further includes text-to-speech conversion means which converts the text to speech signals, wherein the processor stores the speech signals with the respective audio messages corresponding to the text in the storage device.

9. (Original) An IRD set-top box according to claim 8, wherein the processor is configured to store the speech signals in place of the DTMF tones in the respective audio messages in the storage device.

10. (Original) An IRD set-top box according to claim 7, wherein the DTMF tones are stored with the audio messages in the storage device and the telecommunications unit further includes:

Appln. No.: 10/021,426  
Amendment Dated July 11, 2005  
Reply to Office Action of April 11, 2005

MATP-607US

a user interface, coupled to the processor for providing user commands to the processor; and

an interface to a public switched telephone network (PSTN); wherein the processor is responsive to a command provided via the user interface to retrieve the DTMF tones from the storage device and to provide the DTMF tones to the PSTN interface to initiate a telephone call.

11. (Previously Presented) An IRD set-top box according to claim 7, wherein the DTMF tones are stored with the audio messages in the storage device and the telecommunications unit further includes:

a user interface, coupled to the processor for providing user commands to the processor;

an interface to a public switched telephone network (PSTN); and

a DTMF tone generator configured to translate text numbers into DTMF tones and to provide the translated DTMF tones to the PSTN interface to initiate a telephone call;

wherein the processor is responsive to a command provided via the user interface to retrieve the text corresponding to the DTMF tones from the storage device and to provide the retrieved text to the DTMF tone generator.

12. (Original) An IRD set-top box according to claim 7, further including a display output port for providing for display video signals received by the IRD set-top box and an audio output port for presenting sound signals associated with the displayed video signals, whereby the stored audio messages are provided to the audio output port and the respective stored text is provided to the display output port for concurrent presentation to a user.

13. (Currently Amended) A method for processing telephone audio messages that include dual-tone multi-frequency (DTMF) tones, comprising the steps of:

receiving and demodulating television signals

processing the demodulated television signals for display on a display device;

Appln. No.: 10/021,426  
Amendment Dated July 11, 2005  
Reply to Office Action of April 11, 2005

MATP-607US

receiving the telephone audio messages;

converting the DTMF tones to a text representation of the DTMF tones matching respective individual keys on a telephone keypad; and

storing the ~~combined~~ messages, which include the received telephone audio messages and the text representation of the DTMF tones the DTMF tones into a storage device; and

processing the text representation of the DTMF tones for display on the display device.

14. (Original) A method according to claim 13, further including the steps of:

converting the text to speech signals; and

storing the speech signals with the respective audio messages corresponding to the text in the storage device.

15. (Original) A method according to claim 14, wherein the step of storing the speech signals with the respective messages includes the step of storing the speech signals in place of the DTMF tones in the respective audio messages in the storage device.

16. (Original) A method according to claim 13, further including the step of initiating a telephone call by providing stored DTMF tones corresponding to one of the received audio messages to a telecommunications network.

17. (Original) A method according to claim 13, further including the step of

converting the stored text corresponding to one of the received audio messages to DTMF tones; and

initiating a telephone call by providing the converted DTMF tones to a telecommunications network.

Appln. No.: 10/021,426  
Amendment Dated July 11, 2005  
Reply to Office Action of April 11, 2005

MATP-607US

18. (Original) A method according to claim 13, further including the steps of:

providing the audio messages as an audio output signal; and  
displaying the stored text corresponding to each audio message as the respective audio message is provided.